## **Appendix I: MokeWISE Project Concept Descriptions**

Appendix I provides brief descriptions for each of the project concepts considered by the MCG.

#	Туре	Concept Name	Description
1a	Ecosystem / Habitat Restoration	Upper Mokelumne Anadromous Fish Restoration	Transport anadromous fish above Camanche and Pardee to expand their habitat, improve their resiliency in the face of climate change and enhance upper ecosystems and recreational opportunities.
		Sponsor: Foothill Conservancy	
1b	Ecosystem / Habitat Restoration	High Country Meadow Restoration Program Sponsor: Foothill Conservancy	Develop a three-phased program to restore high-elevation meadows to approximate natural function to provide water supply, storage, and ecosystem enhancement benefits. The initial phase of the program would involve mapping, identifying, and assessing potential meadows for restoration. The second phase would include setting goals and opportunities for both the program and for each of the identified meadows. The third and final phase would involve developing an implementation plan and budget for restoring the identified meadows. This implementation plan and budget could then be used to secure funding for implementation of the restorations.
1c	Ecosystem / Habitat Restoration	Mokelumne River Day Use Area Floodplain Habitat Restoration Project Sponsor: SJCRCD	This project is intended to restore a portion of the seasonal floodplain habitat located along the stretch of the Mokelumne River downstream of East Bay Municipal Utility District's (EBMUD or the District) Camanche Reservoir by working with willing participants consistent with the Lower Mokelumne River Watershed Stewardship Plan. Floodplain habitat has been lost as a result of mining and modification of geomorphic processes that has taken place since the advent of the gold rush days in the 1800s. Floodplain creation serves to enhance the habitat for juvenile salmonids and other native fish species within the lower Mokelumne.  EBMUD owns land immediately downstream of the Camanche Dam that it uses to support the District's water supply operations (EBMUD's Mokelumne River Day Use Area (MRDUA)). Those lands include properties that have deteriorated riparian and aquatic habitat associated with the above-noted historic human modifications. There is an opportunity for the construction of restoration projects on those properties that when implemented would improve existing fisheries habitat and provide a degree of flood management.
1d	Ecosystem / Habitat	Fish Screens for Riparian Diversions in the Lower	Develop and implement a program to identify and prioritize riparian diversions on the Lower Mokelumne for fish screens. Working with willing landowners, the program
	Restoration	Mokelumne	would then secure and install fish screens on these riparian diversions to reduce

#	Туре	Concept Name	Description
		Sponsor: none	entrainment of fish. Currently, the four largest pumps/diversions are screened, but according to a late 1990's assessment, approximately 60 remain unscreened.  Additionally, the California Fish Passage Assessment Database by CalFish identifies over 400 diversions on the main stem of the Mokelumne.
1e	Ecosystem / Habitat Restoration	Riparian Restoration Program – Upstream of Pardee Reservoir  Sponsor: Foothill Conservancy	Develop and implement a program that analyzes and addresses riparian restoration needs by identifying potential areas for restoration, identifying partnership opportunities with willing landowners, and developing a funding base for restoration projects that provide benefits to water users. May include removing invasive species and maximizing the habitat value of farm edges.
1f	Ecosystem / Habitat Restoration	Riparian Restoration Program – Below Camanche Reservoir  Sponsor: SJCRCD Co-Sponsor: Foothill Conservancy	Support the implementation efforts of the Lower Mokelumne Watershed Stewardship Plan, which analyzes and addresses riparian restoration needs. May include developing a funding base for projects identified in the Plan.
2a	Recycled Water	Municipal Recycled Wastewater Recharge Program Sponsor: City of Lodi	Use treated, disinfected wastewater to recharge, either direct or in-lieu, Valley groundwater aquifers. The project should be further fleshed out after the Water Availability Analysis findings are released, which would help identify what municipal recycled water supplies are suitable for recharge, potential downstream impacts of diverting wastewater, and nearby areas potentially feasible for recharge. Uses including consumptive use and seawater intrusion barriers will be considered.
2b	Recycled Water	Constellation Winery Wastewater Reuse  Sponsor: Constellation Winery? Co-Sponsor: GBA, NSJWCD	Use treated wastewater from the Constellation Winery facility for agricultural irrigation in lieu of groundwater pumping; provide in-lieu groundwater recharge/banking.

#	Туре	Concept Name	Description
2c	Recycled Water	Amador County Regional Reuse	Implement aspects of the Amador County Regional Approach for Reuse Study.
		Sponsor: AWA	
2d	Recycled Water	Mokelumne Hill Sanitary District Reclaimed Wastewater	Reclaim treated wastewater to offset use of Mokelumne surface water. Uses of this water may include ranching or other spray applications.
		Sponsor: CPUD	
3a	Desalination	Solar-Powered Desalination	Develop a solar-powered desalination project, which may include identifying partners for a cost-sharing program. This desalination facility would clean brackish water from the Delta using solar troughs. The solar panels would create enough heat to separate
		Sponsor: none	the salt and water through evaporation. The remaining salt solidifies and can be removed and used in other industries as building materials, metals, or fertilizers. Some systems have a 93% recovery rate and use about 1/5 of the energy used by traditional desalination plants. Cost per acre-foot is cited around \$450, but may be greater depending on the location and scale of implementation.
4a	Groundwater Management	Groundwater Banking within the Eastern San Joaquin Groundwater Basin Sponsor: GBA, CCWD	Identify opportunities for direct and in-lieu banking with a variety of sources including Mokelumne River, stormwater, agricultural runoff, etc. Could include gravity infiltration and groundwater injection. Also consider land currently used for farming, with voluntary participation and fair compensation for owners. Geographic scope includes the Eastern San Joaquin Groundwater Basin, including portions of Calaveras County.
4b	Groundwater Management	Amador and Calaveras County Hydrologic Assessment Sponsor: AWA, CCWD Co-Sponsor: JVID	Assess potential for groundwater banking in Amador and Calaveras counties. This could include assessing structure of fractured rock aquifers and age of water, in addition to mapping of sandy soils as a means to inform potential project areas.

#	Туре	Concept Name	Description
4c	Groundwater Management	San Joaquin County Groundwater Banking and Exchange  Sponsor: GBA, EBMUD	This project is seen as a regional effort whereby one or more partner agencies would obtain a new water right and/or modify an existing water right to enable surface water to be diverted from the Mokelumne River and banked in the Eastern San Joaquin Groundwater Basin for later use by one or more of the partners (and further to improve overdrafted groundwater conditions in the Eastern San Joaquin Groundwater Basin). This project would build upon the recent Demonstration Project efforts between EBMUD and the GBA.  Under one scenario, a portion of the Mokelumne River supply would be conveyed through existing and/or new facilities for storage and regional use in the Basin. Various in-lieu and direct recharge projects could be used to recharge water in wet years for extraction in dry years. Recharge could be via recharge basins or direct injection. While the first stage of a project would rely primarily on EBMUD's facilities for conveyance, some new facilities required such as an Intertie with EBMUD's Mokelumne Aqueduct, a new pipeline and pump station that directs water from the aqueducts to the recharge site, and any required facilities to provide treatment as needed prior to injection and or following extraction.  Water stored in the Basin would be extracted for use via wells installed within project areas. The quantity extracted could be divided by the partner agencies (upcountry agencies would receive their share via an in-lieu exchange with EBMUD). Groundwater would be sent to the EBMUD service area via connection(s) to EBMUD's Mokelumne Aqueducts. A portion of the quantity stored would remain in the ground to meet SJC's share requirements.
4d	Groundwater Management	NSJWCD Infrastructure Improvements Sponsor: NSJWCD	Improve the infrastructure for reliable surface water delivery to the North San Joaquin Water Conservation District so the District can utilize existing water rights and its agricultural customers can reduce reliance on groundwater sources. The largest of these projects includes rebuilding the southern pump station and southern distribution system, and rebuilding the northern distribution system.

#	Туре	Concept Name	Description
5a	Water Conservation	Regional Urban Water Conservation Program	Reduce demand through implementation of efficient urban water use practices. This program includes submitting a regional conservation plan for funding. The funding received would then be distributed among agencies to fund their individual plans. Plan
		Sponsor: UMRWA, GBA, City of Lodi	elements may include initiating a pilot program with funding available to encourage residents to replace existing water reliant landscaping and utilize landscaping BMP's to reduce runoff and improve water quality; increasing irrigation efficiency; metering and billing based on water use; leak detection; rainwater capture; stormwater capture; education and outreach regarding lawn and landscape watering needs.
5b	Water Conservation	Amador Canal Conversion to Pipeline	Placement of a pipeline in or along the 18 mile Amador Canal to conserve an estimated 1,500 AF of water annually.
		Sponsor: AWA	
5c	Water	Regional Agriculture	Increase irrigation efficiency; A program which would work with growers and agencies
	Conservation	Conservation Program	to test and evaluate agricultural management practices for irrigation water management efficiency.
		Sponsor: SJCRCD	
6a	Stormwater	Cosgrove Creek Flood	Solve flood control issues at Cosgrove Creek to allow flood waters to naturally recharge
	Management	Management Project	the aquifer. Project could potentially include recreational components and involve
	and Flood		utilizing a 50-acre lot owned by CCWD for recharge purposes.
	Control	Sponsor: none	
6b	Stormwater	Mokelumne Stormwater	Analyze stormwater runoff within the Mokelumne Hill area, including the ditches that
	Management	Capture and Reuse	ultimately flow into the Mokelumne River.
	and Flood Control	Sponsor: Calaveras County	
	Control	Sponsor. Calaveras County	

#	Туре	Concept Name	Description
6c	Stormwater Management and Flood Control	Mokelumne Floodplain Management Plan - Camanche to Below Woodbridge Dam  Sponsor: SJCRCD	In coordination with the Lower Mokelumne Watershed Stewardship Plan, work with willing landowners to create set back levees, re-configure side channels, and/or increase riparian buffer areas in the Mokelumne River from Camanche to Woodbridge Dam to maximize available habitat for salmonids and (in some cases) restore some floodplain function and promote groundwater storage.
7a	Surface Storage	PG&E Storage Recovery Sponsor: AWA, CCWD?	Evaluate the feasibility of removing silt and sediment from behind PG&E dams.
7b	Surface Storage	Raise Lower Bear Reservoir Feasibility Update and Preliminary Engineering Sponsor: AWA, JVID	Evaluate the feasibility of enlarging Lower Bear Reservoir by raising the existing dam (embankment) by 32 feet to increase surface water storage capacity within the upper Mokelumne River watershed. This feasibility study would be a continuation of previous studies and serve to address previously unanswered questions and unresolved issues. Previous studies performed on behalf of Amador Water Agency suggest that Lower Bear Reservoir would provide 18,300 Acre Feet of additional Yield (Willard, 2005). In addition to modifications to the dam itself, other facilities that would need to be constructed include an updated intake structure and spillway. Also note that the project would require the relocation of adjacent roads and existing recreation facilities.  An operational scheme for an enlarged reservoir would need to be prepared to determine how much yield could be realized for the partners that elect to take part in the project.
7c	Surface Storage	Surface Storage Regional Assessment Sponsor: UMRWA	Conduct a regional assessment to evaluate the feasibility of the constructing additional surface storage in Amador and Calaveras Counties. The study would include discussions on location, technical feasibility, political feasibility, environmental feasibility, and legal feasibility.
7d	Surface Storage	Re-operation of Existing Storage	Feasibility study to assess capability to re-operate existing storage to store water for consumptive use in addition to hydropower. The study would include a discussion on

#	Туре	Concept Name	Description
		Sponsor: UMRWA	legal, environmental, political, and technical feasibility, as well as address the issue of flood control capabilities.
8a	Local Infrastructure	Jeff Davis Water Treatment Plant Replacement Sponsor: CPUD	Evaluate the feasibility of replacing the existing Jeff Davis Water Treatment Plant (WTP), a sand filter water treatment plant, with a state of the art membrane filtration plant. The Jeff Davis WTP was designed in 1970 and is oversized for the current and projected District demands. The project would reduce backwash water requirements which would reduce Mokelumne water needs.
8b	Local Infrastructure	Rehab of Transmission Main Sponsor: CPUD	Conduct a study to determine the benefits of replacing all or a portion of the transmission main that conveys treated water from the Jeff Davis WTP to Mokelumne Hill, Paloma, and San Andreas. The study would include assessment of areas that are reaching life expectancy, areas of water loss, and recommendations for rehabilitation. Upon completion of the study, replace or line the recommended areas of the current transmission main. The transmission main was installed in the 1970's and has had one large repair since that time. Replacing or lining the transmission main will increase the life expectancy, and likely improve efficiencies and reduce water loss.
8c	Local Infrastructure	Barney Way Septic System Conversion Sponsor: CCWD	Hook existing residences along Barney Way either into the public sewer system or implement a community septic vault system to improve water quality of the Mokelumne River. This project would evaluate both options to determine and implement the most cost-effective conversion. Barney Way sits alongside the northern side of the Middle Fork of the Mokelumne off of Highway 26, downstream of Schaads Dam.
8d	Local Infrastructure	Lake Camanche Village Recycled Water Project Sponsor: AWA	A feasibility study for converting from existing wastewater treatment ponds to a recycled water plant in the Camanche Village area to allow for recycled water to be used locally.
9a	Policies and Initiatives	Sponsor: Calaveras Planning Coalition, MyValleySprings.com	Develop a program to improve coordination between willing water agencies and land use agencies.

#	Туре	Concept Name	Description
9b	Policies and Initiatives	State Wild and Scenic River Designation Sponsor: <i>none</i>	Develop language for and draft a position statement that would encourage the designation of the reach between Salt Springs Dam and Pardee Reservoir under the State Wild and Scenic Rivers system. Each MCG member organization would sign, approve, or otherwise show support for this position statement.
9c	Policies and Initiatives	Sustainable Forest - Watershed Management Project Sponsor: none	Draft a resolution for MokeWISE members in support of scientifically proven forest practices that protect the Mokelumne Watershed by 1) thinning to reduce the risk and impacts of wildfires, 2) reducing erosion and sediment yield into stream courses, and 3) improving water management
9d	Policies and Initiatives	Watershed Coordinator Sponsor: SJCRCD	Support funding efforts for the establishment of local Watershed Coordinator positions.
9e	Policies and Initiatives	Groundwater Management Tools Sponsor: GBA	Identify additional options for the Eastern San Joaquin Groundwater Basin Authority to more effectively manage groundwater levels.
9f	Policies and Initiatives	Mixed-Use Project Concept for Calaveras County Mokelumne Reservation Sponsor: CCWD?	Evaluate the legal feasibility of and options for allowing CCWD/CPUD to assign all or a portion of Calaveras County's area of origin reservation on the Mokelumne. In addition to consumptive uses, evaluate other potential beneficial uses of the water, including fish, wildlife, and recreation. This may also include evaluating the feasibility of both new and previously proposed projects.
9g	Policies and Initiatives	MokeWISE Public Interest Profile Enhancement Project (PIPE) Sponsor: none	Support an informal, non-regulatory process among stakeholders that will help regional entities be better prepared to seek appropriations approval from the State Water Board. These processes may include developing a list of public interest criteria which can be used to evaluate proposed water uses.